

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"6738964" and)connection or pin or pins or component\$1 or block\$1)same compatible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 22:17
		"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments and select\$3 and updat\$3 or refresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:13
		"6738964" and synchroniz\$6 and ""same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:13
		(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4)same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:12
		"6668292" and clock\$1 and rate\$1 or ratio.or ratios)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:55
		"6738964" and (pin or pins or wire or wires) same color \$1 or cod\$3 or gsds or icon\$1 or symbol\$1 or graphic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:22
		(dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and (connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:05
		processing adj web and connection and cake and processing adj1 element\$1 and (dsos or dso's or dso)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:00

	(" digital graph plotter" or harmonograph or J-scope or kymograph or "magnetic recorder" or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same (intranet or internet or web or website)and (net or network\$3 or wan or lan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:51
	(" digital graph plotter" or harmonograph or J-scope or kymograph or magnetic recorder or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same (intranet or internet or web or website)and (net or network\$3 or wan or lan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:50
	(" digital graph plotter" or or harmonograph or J-scope or kymograph or magnetic recorder or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same (intranet or internet or web or website)and (net or network\$3 or wan or lan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:50
	("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (drag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)near15 connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22

	(\"702\"/.ccls. or \"345\"/.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)near10 connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
	(\"702\"/.ccls. or \"345\"/.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (drag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22
	(\"702\"/.ccls. or \"345\"/.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16

		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near15 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near15 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:15
		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:13

		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near15 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if) same connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:11
		"345"/\$.ccls. and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:07
		"702"/\$.ccls. and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:04
		345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:02
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51

		"6738964" and (target\$1 or "secondary" or "secondary processing" or "secondary processing system")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:16
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:38
L1	2	"6738964" and (block\$1 or processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:42
L2	3	"6738964" and (block\$1 or processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:43
L3	3	"6738964" and (block\$1 or processor\$1)and (list\$1 or menu\$1 or group\$3 or database or file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:43
L4	2	"6738964" and (block\$1 or processor\$1)same (list\$1 or menu\$1 or group\$3 or database or file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:30
L5	3	"6738964" and (block\$1 or processor\$1 or component\$1)same (list\$1 or menu\$1 or group\$3 or database or file\$1 or script\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 22:17
L6	1	"6738964" and (connection or pin or pins or component\$1 or block\$1)same compatible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 22:28
L7	1	"6738964" and (wire or wires or connection or pin or pins or component\$1 or block\$1)same compatible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 22:29
L8	1	"6738964" and (wire or wires or connection or pin or pins or component\$1 or block\$1)same compatible and (wire\$1 or pin or pins or connection\$1)same (block\$1 or component\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 23:07

L9	1	"6738964" and (wire or wires or connection or pin or pins or component\$1 or block\$1)same compatible and (wire\$1 or pin or pins or connection\$1)same (block\$1 or component\$1)and format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 23:55
L10	1	"6738964" and (wire or wires or connection or pin or pins or component\$1 or block\$1)same compatible and (wire\$1 or pin or pins or connection\$1)same (block\$1 or component\$1)and format\$4 and compatible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:02
L11	1	"6738964" and (wire or wires or connection or pin or pins or component\$1 or block\$1)same compatible and (wire\$1 or pin or pins or connection\$1)same (block\$1 or component\$1)and format\$4 and compatible and (wire or wires or connection or pin or pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:04
L12	1	"6738964" and format\$4 and compatible and (wire or wires or connection or pin or pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:39
L13	945	cake and state and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:39
L14	28	cake and state and different adj formats	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:39
L15	3	cake and state and different adj formats and processing adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:45
L16	3	cake and state same connect\$5 and different adj formats and processing adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:41

L17	3	cake and state and different adj formats and processing adj sequence and pin\$1 and connection\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:45
L18	3	cake and state and different adj formats and processing adj sequence and pin\$1 and connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 00:45
L23	2	"6738964" and input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 01:24
S1	43	"4868785"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
S2	8	"4868785" and pins	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S3	6	"4868785" and pins same connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:53
S4	2	"4868785" and pins same connect\$5 same (state or when or whether or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:53
S5	1	"4868785" and pins same connect\$5 same (state or when or whether or if) and (web or internet or net or lan or wan or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S6	1782	345/440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S7	1388	345/440 and connect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58

S8	1407	345/440 and connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S9	27	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:00
S10	8	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:29
S11	4	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))same (user or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S12	4	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))same (user or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:32
S13	1	702/68 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))same (user or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:32

S14	8	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:34
S15	5	702/68 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:35
S16	2	"6738964" and (user or gui or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S17	2	"6738964" and (user or gui or manual\$2)and (state\$1 or whether or if or when or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:45
S18	38	(" digital graph plotter" or harmonograph or J-scope or kymograph or "magnetic recorder" or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same ((intranet or internet or web or website)and (net or network\$3 or wan or lan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:51
S19	30	(" digital graph plotter" or harmonograph or J-scope or kymograph or "magnetic recorder" or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same ((intranet or internet or web or website)and (net or network\$3 or wan or lan))and (if or when or whether or state\$1 or indicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:52

S20	28	(" digital graph plotter" or harmonograph or J-scope or kymograph or "magnetic recorder" or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same ((intranet or internet or web or website)and (net or network\$3 or wan or lan))and (if or when or whether or state\$1 or indicat\$5)and (connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:53
S21	22	(" digital graph plotter" or harmonograph or J-scope or kymograph or "magnetic recorder" or oscillograph or "oscillograph recorder" or oscilloscope or oscilloscope\$1 or seismograph or seismometer or seismoscope or vibrograph or vibroscope)same ((intranet or internet or web or website)and (net or network\$3 or wan or lan))and (if or when or whether or state\$1 or indicat\$5)and (connect\$5)same (configur\$6 or pin or pins or authoring or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:57
S22	2	"6738964" and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:59
S23	1	"6738964" and network\$3 and design	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 17:07
S38	1	"6738964" and network\$3 and design and compatible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:23
S39	1	"6738964" and network\$3 and design and compatible and (web or internet or net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:28

S40	935	processing adj web and connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:30
S41	11	processing adj web and connection and cake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:46
S42	4	processing adj web and connection and cake and processing adj1 element\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:59
S43	4	processing adj web and connection and cake and processing adj1 element\$1 and dso	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:00
S44	4	processing adj web and connection and cake and processing adj1 element\$1 and (dsos or "dso's" or dso)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:01
S45	5005	(dso or digital near3 oscilloscope\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:02
S46	510	(dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:03
S47	188	(dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:05
S48	26	(dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((connecting or connections) same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:07

S49	4	(dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((pin or pins)same(connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:06
S50	130	(analyzer or oscilloscope or dso or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:08
S51	109	(analyzer or oscilloscope or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:08
S52	12	(spectrum adj analyzer or oscilloscope or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:12
S53	8	(configure or configuration\$1 or re adj1 configur\$6) and (spectrum adj analyzer or oscilloscope or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan)and ((connecting or connections)same(processor\$1 and processing) and display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:09
S54	22	(spectrum adj analyzer or oscilloscope or digital near3 oscilloscope\$1)same (web or internet or network\$3 or lan or wan) same(processor\$1 and processing) and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:19
S55	60	"5155836"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:34
S56	4	"5155836" and oscilloscope	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:35

S57	4	"5155836" and oscilloscope and (network or internet or web)and processor\$1 and processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:35
S58	4	"5155836" and oscilloscope and (network or internet or web)and processor\$1 and processing and (display\$3 or view\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:36
S59	4	"5155836" and oscilloscope and (network or internet or web)and processor\$1 and processing and (display\$3 or view\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:36
S60	4	"5155836" and oscilloscope and (network or internet or web)and processor\$1 and processing and (display\$3 or view\$3)and (configur\$5 or fix or fixed or dynamic\$4 or robust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:37
S61	1	"6738964" and network\$3 and design and compatible and (web or internet or net)and blocks and pin and pins and connect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:29
S62	1	"6738964" and network\$3 and design and compatible and (web or internet or net)and blocks and pin and pins and connect\$3 and (display\$3 or view\$3 or viusal\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:39
S63	0	("5155836" and "4868785") and network\$3 and design and compatible and (web or internet or net)and blocks and pin and pins and connect\$3 and (display\$3 or view\$3 or viusal\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:40
S64	5	("5155836" and "4868785") and (display\$3 or view\$3 or viusal\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:40
S65	90	("5155836" or "4868785") and (display\$3 or view\$3 or viusal\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:41

S66	47	("5155836" or "4868785") and (display\$3 or view\$3 or viusal\$9)same block and process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:42
S67	41	("5155836" or "4868785") and (display\$3 or view\$3 or viusal\$9)same block and process\$3 and connect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 23:45
S68	1	"6738964" and (pin or pins or wire or wires) same (color\$1 or cod\$3 or gsds or icon\$1 or symbol\$1 or graphic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:54
S69	2	"6668292" and clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:54
S70	2	"6668292" and clock\$1 and (rate\$1 or ratio or ratios)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:55
S71	2	"6668292" and clock\$1 and (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:56
S72	1	"6668292" and clock\$1 and (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4)and (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 20:57
S73	1	"6668292" and clock\$1 and (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4)and (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:11

S74	473	(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4))same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:12
S75	28	(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4))same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 (first and second)and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:12
S76	6	(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4))same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 (first and second)and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:12
S77	92	(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4))same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 (first and second)and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:12
S78	4	(clock\$1 same (rate\$1 or ratio or ratios)and (speed or fast\$3 or slow\$3 or transfer or transmission or transmit\$4))same (processor\$1 or processing\$1 or algorithm\$1 or instruction\$1 or step\$1 or sync or synchroniz\$7)near4 (first and second)and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:14
S79	130	S75 or S76 or S77 or S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:14
S80	34	S79 and graphic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:14

S81	56	S79 and (display\$3 or graphic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:23
S82	248	display near3 process\$3 near5 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:24
S83	149	display near2 process\$3 near5 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:24
S84	1	display near2 process\$3 near5 ratio near5 (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:25
S85	2	display near3 process\$3 near5 ratio near5 (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:38
S86	0	(updat\$3 or refresh\$3) same display near3 process\$3 near5 ratio near5 (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:28
S87	0	(updat\$3 or refresh\$3) same (display near3 process\$3 near5 ratio near5 (fast\$4 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:28
S88	0	(updat\$3 or refresh\$3) same (display near3 process\$3 near5 ratio near8 (fast\$4 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:28
S89	0	(updat\$3 or refresh\$3) same (display near3 process\$3 near15 ratio near18 (fast\$4 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:29
S90	0	(updat\$3 or refresh\$3) same display near3 process\$3 near15 ratio near18 (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:29

S91	0	(updat\$3 or refresh\$3) same display near3 process\$3 near15 ratio same (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:29
S92	10	(updat\$3 or refresh\$3) same display same process\$3 near15 ratio same (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:30
S93	10	(fast\$4 or slow\$3) same (updat\$3 or refresh\$3) same display same process\$3 near15 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:31
S94	0	(fast\$4 or slow\$3) same (updat\$3 or refresh\$3) same display near4 process\$3 near15 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:31
S95	39	(fast\$4 or slow\$3) same (updat\$3 or refresh\$3) same display near4 process\$3 near15 (rates or rate or ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:31
S96	14	(fast\$4 or slow\$3) near10 (updat\$3 or refresh\$3) same display near4 process\$3 near15 (rates or rate or ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:32
S97	38	(fast\$4 or slow\$3) near10 (updat\$3 or refresh\$3) same process\$3 and display near4 process\$3 near15 (rates or rate or ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:32
S98	15	(fast\$4 or slow\$3) near10 (updat\$3 or refresh\$3) near4 process\$3 and display near4 process\$3 near15 (rates or rate or ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:32
S99	1	"6577311" and display near3 process\$3 near5 ratio near5 (fast\$4 or slow\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:40
S100	3	"6577311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:40

S10 1	2	"6577311" and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:41
S10 2	2	"6577311" and download\$3 same display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:45
S10 3	2	"6577311" and (compress\$5 and download\$3) same display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:41
S10 4	5	"5621431"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:10
S10 5	0	fast adj path near10 slow adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:54
S10 6	0	fast adj path near10 slow adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:54
S10 7	231	fast adj path same slow adj path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:54
S10 8	4	fast adj path same slow adj path and cake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:55
S10 9	19	(fast adj path same slow adj path) same (rate or rates or ratio or ratios)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:55
S11 0	11	(fast adj path same slow adj path) same (rate or rates or ratio or ratios)and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:56

S11 1	9	(fast adj path same slow adj path) same (rate or rates or ratio or ratios)and display\$3 and processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:58
S11 2	5	(fast adj path same slow adj path) same (rate or rates or ratio or ratios)and display\$3 and processor\$1 and (updat\$3 or refresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 21:58
S11 3	5	(fast adj path and slow adj path) same (rate or rates or ratio or ratios)and display\$3 and processor\$1 and (updat\$3 or refresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:09
S11 4	2	compression and resolution and "6577311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:05
S11 5	2	compression same resolution and "6577311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:05
S11 6	0	thread\$1 and "6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:12
S11 7	3	"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:12
S11 8	1	"6738964" and synchroniz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:12
S11 9	1	"6738964" and synchroniz\$6 and "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:15
S12 0	1	"6738964" and synchroniz\$6 and "same" and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:19

S12 1	1	"6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical development\$2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:20
S12 2	1	"6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical solutions development\$2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:27
S12 3	1	component adj creator and "6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical solutions development\$2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:32
S12 4	0	(display\$3 or viewer)same component adj creator and "6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical solutions development\$2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:33
S12 5	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical solutions development\$2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:35
S12 6	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and "same" and time and (gsds or "graphical solutions development\$2")and (compatible or compatibility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:41
S12 7	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and (gsds or "graphical solutions development\$2")and (compatible or compatibility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:41
S12 8	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and (gsds or "graphical solutions development\$2")same (compatible or compatibility)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:41

S12 9	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and (gsds or "graphical solutions development\$2")same ((compatible or compatibility)and component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 22:56
S13 0	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and synchroniz\$6 and (gsds or "graphical solutions development\$2")same ((compatible or compatibility)and component) and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 23:17
S13 1	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and (gsds or "graphical solutions development\$2")same ((compatible or compatibility)and component) and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 00:08
S13 2	1	(display\$3 or viewer)same (component or component adj creator) and "6738964" and (gsds or "graphical solutions development\$2")same ((compatible or compatibility)and component) and ("6754885" or "6799195" or "6434556" or script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 00:09
S13 3	2	"6738964" and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 00:55
S13 4	2	"6738964" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 00:57
S13 5	16	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:00
S13 6	2	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:08

S13 7	1	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:09
S13 8	1	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:11
S13 9	1	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments and select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:12
S14 0	1	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments and select\$3 and (updat\$3 or refresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:17
S14 1	1	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments and select\$3 and (updat\$3 or refresh\$3)and process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:39
S14 2	0	"4868785" and (updat\$3 or refresh\$3)same (time or when or indicat\$5)same input and edit\$3 and virtualinstruments and select\$3 and (updat\$3 or refresh\$3)and process\$3 and script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:20
S14 3	0	"4868785" and format44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:40
S14 4	23	"4868785" and format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 01:40
S14 5	2	"6738964" and input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:44

S14 6	2	"6738964" and input\$1 and updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:52
S14 7	0	"6738964" and input\$1 and updat\$3 and time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:53
S14 8	178	345/440 and input\$1 and updat\$3 and time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:53
S14 9	32	345/440 and (input\$1 near20 updat\$3) and time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:53
S15 0	3	345/440 and (input\$1 near20 updat\$3) same time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:54
S15 1	4	345/440 and (input\$1 same updat\$3) same time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:00
S15 2	45	"345"/\$.ccls. and (input\$1 same updat\$3) same time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:00
S15 3	82534	"709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:00
S15 4	44	"709"/\$.ccls. and (input\$1 same updat\$3) same time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:00
S15 5	42	"715"/\$.ccls. and (input\$1 same updat\$3) same time near10 indicat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:35

S15 6	122	S152 or S154 or S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 10:51
S15 7	0	S156 and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:07
S15 8	43	S156 and (test or testing or system near4 test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:47
S15 9	2	"6738964" and (pin or pins or wire or wires)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:48
S16 0	1	"6738964" and (pin or pins or wire or wires)and (current or now or real adj time or state\$1 or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 09:48
S16 1	122	(S152 or S154 or S155)and (updat\$3 or refresh\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 10:51